



Issue:	Drawn By:	Checked By:	CRF No.:	Date:	Description:
a	SJ	KB	3609	21/10/25	First Issue
b					
c					
d					

KD4KE


KammEdge.

Instructions






KammEdge.




SA397U x 4




SA398U x 4




SA428/SA466 x 6




SA436 x 1



PS519 x 1



PS520 x 1




SA610 x 2




PS635 x 2



FS323
(M6 x 16) x 8



LSF (L) x 2




LSF (R) x 2




C04 x 8
optional upgrade


Fitting Kit




PS023 x 4



PS319 x 4




PS176 x 4



FN085 x 16



FW009 (M8) x 8



FW002 (M8) x 8



FS081
(M8 x 50) x 4



FS061
(M8 x 35) x 4




FS059
(M8 x 25) x 16




FT01 x 1



FT05 x 1




PS208 (M8) x 8




PS404 x 4



1.



2.



3.



SA397U
PS176



SA397U




SA397U



SA397U
PS176

R



F

SA398U
PS176



SA398U




SA398U




SA398U
PS176












4.



5.








L684/LB684- Caddy 5 2020-, Connect 2024-, L2-H1 (Tailgate)		
Max Load = 150kg/330lbs L684/LB684 = 21kg/46lbs		
A FN085 Qty	B FN085 Qty	Rear Bar – End (mm)
3	5	110

L683/LB683- Caddy 5 2020-, Connect 2024-, L2-H1 (Twin)







Max Load = 150kg/330lbs




L683/LB683 = 22kg/48lbs




A FN085 Qty	B FN085 Qty	Rear Bar – End (mm)
3	5	320




20.




21.




22.



23.



24.



25.

