



Issue:	Drawn By:	Checked By:	CRF No.:	Date:	Description:
a	SJ	KB	3609	21/10/25	First Issue
b					
c					
d					

TB3HKE


KammEdge.

Instructions






KammEdge.




SA397U x 3




SA398U x 3




SA428/SA466 x 6




SA436 x 1



PS519 x 1



PS520 x 1




SA610 x 2




PS635 x 2



FS323
(M6 x 16) x 8



LSF (L) x 2




LSF (R) x 2




C04 x 6
optional upgrade

Fitting Kit




PS023 x 6



PS178 x 4




**FS059
(M8 x 25) x 16**




FN085 x 16




FW009 (M8) x 6



FW002 (M8) x 6



**FS101
(M8 x 45) x 6**



FN035 (M8) x 6




FT05 x 1




FT01 x 1



1.



2.




3.



SA397U
PS178




SA397U



SA397U
PS178

R



F

SA398U
PS178




SA398U




SA398U
PS178









4.




5.







12.




13.




14.



15.






L619/LB619- Custom 2014-, L1-H2 (Twin)

Max Load = 150kg/330lbs



L619/LB619 = 18kg/40lbs




A FN085 Qty	B FN085 Qty	Rear Bar – End (mm)
4	4	497

L620/LB620- Custom 2014-, L2-H2 (Twin)







Max Load = 150kg/330lbs




L620/LB620 = 19kg/42lbs




A FN085 Qty	B FN085 Qty	Rear Bar – End (mm)
3	5	477




22.




23.




24.



25.



26.



27.

